

# American Journal of Physiology: Cell Physiology

No. 1. JANUARY 1991

Relationship between vasopressin-sensitive water transport and plasma membrane fluidity in kidney collecting tubule <i>K. Fushimi and A. S. Verkman</i>	C1
Vasopressin depolymerizes F-actin in toad bladder epithelial cells <i>G. Ding, N. Franki, J. Condeelis, and R. M. Hays</i>	C9
Mechanisms of NE-induced reduction of Ca current in single smooth muscle cells from guinea pig vas deferens <i>Y. Imaizumi, M. Takeda, K. Muraki, and M. Watanabe</i>	C17
Water and urea permeability properties of <i>Xenopus</i> oocytes: expression of mRNA from toad urinary bladder <i>R. Zhang and A. S. Verkman</i>	C26
Regulation of calcium-activated potassium efflux by neurotensin and other agents in HT-29 cells <i>H. Wu, C. C. Franklin, H. D. Kim, and J. T. Turner</i>	C35
Effect of low-density lipoprotein on endothelial cell membrane fluidity and mononuclear cell attachment <i>K. A. Pritchard, Jr., S. M. Schwarz, M. S. Medow, and M. B. Stemerman</i>	C43
Sepsis does not impair tricarboxylic acid cycle in the heart <i>R. S. Hotchkiss, S.-K. Song, J. J. Neil, R. D. Chen, J. K. Manchester, I. E. Karl, O. H. Lowry, and J. H. Ackerman</i>	C50
Ryanodine receptor in different malignant hyperthermia-susceptible porcine muscles <i>J. M. Ervasti, M. A. Strand, T. P. Hanson, J. R. Mickelson, and C. F. Louis</i>	C58
Calcium oscillations and morphological transformations in single cultured gastric parietal cells <i>M. Ljungström and C. S. Chew</i>	C67
Angiotensin II decreases cGMP levels in neuronal cultures from rat brain <i>C. Sumners and L. M. Myers</i>	C79
Prolonged incubation of skeletal muscle increases system A amino acid transport <i>E. A. Gulve, G. D. Cartee, J. H. Youn, and J. O. Holloszy</i>	C88
Neuromuscular adaptations to cross-reinnervation in 12- and 29-mo-old Fischer 344 rats <i>K. I. Clark and T. P. White</i>	C96
A $\text{Ca}^{2+}$ -activated $\text{K}^{+}$ current in <i>ras</i> -transformed fibroblasts is absent from nontransformed cells <i>S. G. Rane</i>	C104
Actions of mercurials on cell volume regulation of dissociated MDCK cells <i>A. Rothstein and E. Mack</i>	C113
Regulation of cellular volume in rabbit ventricular myocytes: bumetanide, chlorothiazide, and ouabain <i>K. Drewnowska and C. M. Baumgarten</i>	C122
Internal alkalization by reversal of anion exchange in human neutrophils: regulation of transport by pH <i>L. Simchowitz and A. O. Davis</i>	C132
Effects of adenosine on cAMP production and cytosolic $\text{Ca}^{2+}$ in cultured rabbit medullary thick limb cells <i>M. A. Burnatowska-Hledin and W. S. Spielman</i>	C143
Responses of subcultured rat aortic smooth muscle myocytes to vasoactive agents and KCl-induced depolarization <i>P. Bodin, S. Richard, C. Travo, P. Berta, J.-C. Stoclet, S. Papin, and P. Travo</i>	C151
Regulation of cytosolic pH of cultured mesangial cells by prostaglandin $\text{F}_{2\alpha}$ and thromboxane $\text{A}_2$ <i>P. Mené, G. R. Dubyak, A. Scarpa, and M. J. Dunn</i>	C159

- Effect of diabetes on  $\text{Na}^+\text{-H}^+$  exchange by single isolated hepatocytes  
*G. Boyarsky, N. Rosenthal, E. Barrett, and W. F. Boron* C167

## RAPID COMMUNICATIONS

- Role of protein phosphatase in activation of KCl cotransport in human erythrocytes  
*D. M. Kaji and Y. Tsukitani* C176

## LETTERS TO THE EDITOR

- Luminescence of luciferin-luciferase microinjected into *Limulus* ventral photoreceptors may not reflect the intracellular ATP level  
*Z.-X. Zhang and A. Fein; L. J. Rubin and J. E. Brown* C181

## No. 2. FEBRUARY 1991

### INVITED REVIEW

- Functional biology of intestinal goblet cells  
*R. D. Specian and M. G. Oliver* C183

- NaF-induced amylase release from rat parotid cells is mediated by PI breakdown leading to  $\text{Ca}^{2+}$  mobilization  
*Y. Tojyo, A. Tanimura, S. Matsui, Y. Matsumoto, H. Sugiya, and S. Furuyama* C194
- Atrial natriuretic factor inhibits ciliary motility in cultured rabbit tracheal epithelium  
*J. Tamaoki, K. Kobayashi, N. Sakai, T. Kanemura, S. Horii, K. Isono, S. Takeuchi, A. Chiyotani, I. Yamawaki, and T. Takizawa* C201
- Satellite cell activation in the stretch-enlarged anterior latissimus dorsi muscle of the adult quail  
*P. K. Winchester, M. E. Davis, S. E. Alway, and W. J. Gonyea* C206
- Dual effect of glycine on isolated rat suprachiasmatic neurons  
*C. Ito, M. Wakamori, and N. Akaike* C213
- Release of intact endothelium-derived relaxing factor depends on endothelial superoxide dismutase activity  
*A. Mugge, J. H. Elwell, T. E. Peterson, and D. G. Harrison* C219
- Immunolocalization of gluco- and mineralocorticoid receptors in rabbit kidney  
*N. Farman, M. E. Oblin, M. Lombes, F. Delahaye, H. M. Westphal, J. P. Bonalet, and J. M. Gasc* C226
- Stimulation by cGMP of apical Na channels and cation channels in toad urinary bladder  
*S. Das, M. Garepapaghi, and L. G. Palmer* C234
- Quasi-simultaneous measurement of ionized calcium and  $\alpha$ -granule release in individual platelets  
*A. Oda, J. F. Daley, J. Kang, M. Smith, J. A. Ware, and E. W. Salzman* C242
- Cadmium block of isometric contractions of isolated bullfrog atrial cells  
*N. Shepherd, F. Kavalier, and W. Spielman* C249
- Modulation of  $\text{G}_s$  activity by phorbol myristate acetate in rat hepatocytes  
*S. M. T. Hernandez-Sotomayor, M. Macias-Silva, C. C. Malbon, and J. A. Garca-Sainz* C259
- Mitochondrial biogenesis in striated muscles: rapid induction of citrate synthase mRNA by nerve stimulation  
*B. H. Annex, W. E. Kraus, G. L. Dohm, and R. S. Williams* C266
- Distinct epitopes on amiloride. II. Variably restricted epitopes defined by monoclonal anti-amiloride antibodies  
*T. R. Kleyman and J. R. Zebrowitz* C271
- Abnormalities in protein synthesis and degradation induced by extracellular pH in  $\text{BC}_3\text{H}_1$  myocytes  
*B. K. England, J. L. Chastain, and W. E. Mitch* C277
- Myofilament overlap in swimming carp. I. Myofilament lengths of red and white muscle  
*A. A. Sosnicki, K. E. Loesser, and L. C. Rome* C283

Myofilament overlap in swimming carp. II. Sarcomere length changes during swimming <i>L. C. Rome and A. A. Sosnicki</i>	C289
Simultaneous measurement of intracellular pH and $\text{Ca}^{2+}$ using the fluorescence of SNARF-1 and fura-2 <i>R. Martínez-Zaguilán, G. M. Martínez, F. Lattanzio, and R. J. Gillies</i>	C297
Swelling-activated K-Cl cotransport: metabolic dependence and inhibition by vanadate and fluoride <i>W. C. O'Neill</i>	C308
In vivo collagen turnover during development of thyroxine-induced left ventricular hypertrophy <i>M. A. Karim, A. G. Ferguson, B. T. Wakim, and A. M. Samarel</i>	C316
Altered $\text{Ca}^{2+}$ dynamics in single cardiac myocytes from renovascular hypertensive rats <i>R. L. Moore, R. V. Yelamarty, H. Misawa, R. C. Scaduto, Jr., D. G. Pawlusch, M. Elensky, and J. Y. Cheung</i>	C327
Cell fractionation and electron microscope studies of kidney folate-binding protein <i>J. T. Hjelle, E. I. Christensen, F. A. Carone, and J. Selhub</i>	C338
$\text{Na}^+$ -independent $\text{Cl}^-$ - $\text{HCO}_3^-$ exchange in sarcolemmal vesicles from vascular smooth muscle <i>R. D. Halligan, H. Shelat, and A. M. Kahn</i>	C347

---

### SPECIAL COMMUNICATIONS

Evaluation of the electroinjection method for introducing proteins into living cells <i>A. K. Wilson, J. Horwitz, and P. De Lanerolle</i>	C355
--	------

---

### RAPID COMMUNICATIONS

$\text{Ca}^{2+}$ channel blockers distinguish between G protein-coupled pharmacomechanical $\text{Ca}^{2+}$ release and $\text{Ca}^{2+}$ sensitization <i>S. Kobayashi, M. C. Gong, A. V. Somlyo, and A. P. Somlyo</i>	C364
Voltage gating of the mitochondrial outer membrane channel VDAC is regulated by a very conserved protein <i>M. Liu and M. Colombini</i>	C371
Effect of cromakalim and lemakalim on slow waves and membrane currents in colonic smooth muscle <i>J. M. Post, R. J. Stevens, K. M. Sanders, and J. R. Hume</i>	C375

### No. 3. MARCH 1991

Response of isolated adult canine cardiac myocytes to prolonged hypoxia and reoxygenation <i>C. M. Hohl and R. A. Altschuld</i>	C383
Differential expression of amino acid transport systems A and ASC during erythroleukemia cell differentiation <i>J. V. Vadgama, M. Chan, and J. Wu</i>	C392
Perpetuation of muscle fibers after removal of stretch in the Japanese quail <i>S. E. Alway</i>	C400
Effect of diabetes and insulin treatment of diabetic rats on total RNA, poly(A) <sup>+</sup> RNA, and mRNA in skeletal muscle <i>J. D. Kent, S. R. Kimball, and L. S. Jefferson</i>	C409
Induction of $\text{Na}^+$ - $\text{K}^+$ -ATPase subunit mRNAs by cycloheximide in a rat liver cell line <i>C. Perez, A. Bhutada, and F. Ismail-Beigi</i>	C417
Characterization of ANF receptors in cultured renal cortical vascular smooth muscle cells <i>M.-L. Béa, J.-C. Dussault, M. Bens, and R. Ardaillou</i>	C424
Lysophosphatidylcholine and sodium-calcium exchange in cardiac sarcolemma: comparison with ischemia <i>M. M. Bersohn, K. D. Philipson, and R. S. Weiss</i>	C433

Uncoupling of cardiac cells by fatty acids: structure-activity relationships <i>J. M. Burt, K. D. Massey, and B. N. Minnich</i>	C439
Unusual $[Ca^{2+}]$ dependence of vascular smooth muscle cell shortening velocity <i>T. J. Dougherty and S. P. Driska</i>	C449
Kinetic analysis of receptor-mediated endocytosis of epidermal growth factor by isolated rat hepatocytes <i>S. Yanai, Y. Sugiyama, D. C. Kim, T. Iga, T. Fuwa, and M. Hanano</i>	C457
Localization of $\alpha$ -isoforms of $Na^+-K^+$ -ATPase in rat kidney by in situ hybridization <i>N. Farman, I. Cortesy-Theulaz, J. P. Bonvalet, and B. C. Rossier</i>	C468
Insulin and IGF-I induce pronounced hypertrophy of skeletal myofibers in tissue culture <i>H. H. Vandenburgh, P. Karlisch, J. Shansky, and R. Feldstein</i>	C475
Mitogenic signals for platelet-derived growth factor isoforms in liver fat-storing cells <i>M. Pinzani, T. C. Knauss, G. F. Pierce, P. Hsieh, W. Kenney, G. R. Dubyak, and H. E. Abboud</i>	C485
Regulation of endothelin-mediated calcium mobilization in vascular smooth muscle cells by isoproterenol <i>Y.-T. Xuan, W. D. Watkins, and A. R. Whorton</i>	C492
Foreign anions modulate volume set point of sheep erythrocyte K-Cl cotransport <i>P. K. Lauf</i>	C503
Distinctive gap junction channel types connect WB cells, a clonal cell line derived from rat liver <i>D. C. Spray, M. Chanson, A. P. Moreno, R. Dermietzel, and P. Meda</i>	C513
Contractile and biochemical properties of rat soleus and plantaris after hindlimb suspension <i>G. M. Diffie, V. J. Caiozzo, R. E. Herrick, and K. M. Baldwin</i>	C528
Kinetics of DIDS inhibition of HL-60 cell anion exchange rules out ping-pong model with slippage <i>D. Restrepo, B. L. Cronise, R. B. Snyder, L. J. Spinelli, and P. A. Knauf</i>	C535
Role of cytosolic Ca in renal tubule damage induced by anoxia <i>W. R. Jacobs, M. Sgambati, G. Gomez, P. Vilaro, M. Higdon, P. D. Bell, and L. J. Mandel</i>	C545
Calcium stimulates glucose transport in skeletal muscle by a pathway independent of contraction <i>J. H. Youn, E. A. Gulve, and J. O. Holloszy</i>	C555
Long-term regulation of $Na^+-H^+$ exchange in vascular smooth muscle cells: role of protein kinase C <i>M. Mitsuka and B. C. Berk</i>	C562
Differential sorting of two glucose transporters expressed in insulin-sensitive cells <i>R. C. Piper, L. J. Hess, and D. E. James</i>	C570
Ethylisopropylamiloride-sensitive pH control mechanisms modulate vascular smooth muscle cell growth <i>A. Bobik, A. Grooms, P. J. Little, E. J. Cragoe, Jr., and S. Grinpuke</i>	C581
Several cation transporters and volume regulation in high-K dog red blood cells <i>H. Fujise, I. Yamada, M. Masuda, Y. Miyazawa, E. Ogawa, and R. Takahashi</i>	C589
Cholinergic stimulation produces oscillations of cytosolic $Ca^{2+}$ in a secretory epithelial cell line, T84 <i>D. C. Devor, Z. Ahmed, and M. E. Duffey</i>	C598
Length-dependent activation by $Ba^{2+}$ and $Sr^{2+}$ of skinned cardiac and skeletal muscle of the rabbit <i>R. L. F. Gründeman, E. L. de Beer, C. van den Berg, K. J. H. van Buuren, and P. Schiereck</i>	C609
$K^+-H^+$ exchange, a fundamental cell acidifier in corneal epithelium <i>J. A. Bonanno</i>	C618
Intermediary metabolism and its relationship with ion transport in isolated guinea pig colonic epithelial cells <i>J. R. Del Castillo, B. Ricabarra, and M. C. Sulbarán-Carrasco</i>	C626

$\alpha$ -Adrenergic regulation of phosphoinositide metabolism and protein kinase C in isolated cardiac myocytes <i>T. Kaku, E. Lakatta, and C. Filburn</i>	C635
Skeletal muscle bioenergetics during frequency-dependent fatigue <i>C. R. Bridges, Jr., B. J. Clark III, R. L. Hammond, and L. W. Stephenson</i>	C643

---

## SPECIAL COMMUNICATIONS

Direct measurement of intracellular pressure <i>S. M. Kelly and P. T. Macklem</i>	C652
--	------

---

## RAPID COMMUNICATIONS

Gestational change in $\text{Na}^+$ and $\text{Ca}^{2+}$ channel current densities in rat myometrial smooth muscle cells <i>Y. Inoue and N. Sperelakis</i>	C658
cAMP-activated Cl conductance is expressed in <i>Xenopus</i> oocytes by injection of shark rectal gland mRNA <i>S. K. Sullivan, K. Swamy, and M. Field</i>	C664

---

## MEETING REPORT

Sino-American collaboration in biomedical research and training: American and Chinese physiological societies look toward new horizons <i>C. C. Malbon</i>	C670
---	------

## No. 4. APRIL 1991

External ATP-induced changes in $[\text{Ca}^{2+}]_i$ and membrane currents in mammalian atrial myocytes <i>Y. Hirano, S. Abe, T. Sawanobori, and M. Hiraoka</i>	C673
Atrial natriuretic factor decreases cell volume of rabbit atrial and ventricular myocytes <i>H. F. Clemon and C. M. Baumgarten</i>	C681
Disruption of microtubules alters polarity of basement membrane proteoglycan secretion in epithelial cells <i>J. B. De Almeida and J. L. Stow</i>	C691
Bombesin-like peptides induce $\text{Ca}^{2+}$ -activated $\text{K}^+$ conductance increases in mouse fibroblasts <i>K. Kusano and H. Gainer</i>	C701
Oxygen partial pressure and free intracellular adenosine of isolated cardiomyocytes <i>R. T. Smolenski, J. Schrader, H. de Groot, and A. Deussen</i>	C708
Thy-1 expresses two signals for apical localization in epithelial cells <i>S. K. Powell, M. P. Lisanti, and E. J. Rodriguez-Boulan</i>	C715
Tyrosine kinases inhibit PDGF-induced DNA synthesis and associated early events in smooth muscle cells <i>G. E. Bilder, J. A. Krawiec, K. McVety, A. Gazit, C. Gilon, R. Lyall, A. Zilberstein, A. Levitzki, M. H. Perrone, and A. B. Schreiber</i>	C721
Calcium transport, $\text{Ca}^{2+}$ -ATPase, and lipid order in rabbit ocular lens membranes <i>N. A. Delamere, C. A. Paterson, D. Borchman, K. L. King, and S. A. Cawood</i>	C731
Increased $\text{Na}^+$ - $\text{H}^+$ antiporter activity in apical membrane vesicles from mutant LLC-PK <sub>1</sub> cells <i>R. F. Reilly, J. G. Haggerty, P. S. Aronson, E. A. Adelberg, and C. W. Slayman</i>	C738
$\gamma$ -Aminobutyric acid-induced response in acutely isolated nucleus solitarius neurons of the rat <i>T. Nakagawa, M. Wakamori, T. Shirasaki, T. Nakaye, and N. Akaike</i>	C745
Brain natriuretic peptide stimulates K and Cl secretion across porcine distal colon epithelium <i>T. R. Traynor and S. M. O'Grady</i>	C750



Effect of external $\text{Ca}^{2+}$ concentration on stretch-augmented natriuretic peptide secretion by rat atria <i>E. Page, J. Upshaw-Earley, G. E. Goings, and D. A. Hanck</i>	C756
Primary action of endothelin on Ca release in bovine coronary artery smooth muscle cells <i>C. Wagner-Mann, L. Bowman, and M. Sturek</i>	C763
Endothelin mediates Ca influx and release in porcine coronary smooth muscle cells <i>C. Wagner-Mann and M. Sturek</i>	C771
Urea transport deficiency in Jk(a-b-) erythrocytes <i>O. Fröhlich, R. I. Macey, J. Edwards-Moulds, J. J. Gargus, and R. B. Gunn</i>	C778
Upregulation of inositol transport mediates inositol accumulation in hyperosmolar brain cells <i>K. Strange, R. Morrison, C. W. Heilig, S. DiPietro, and S. R. Gullans</i>	C784
[ $^3\text{H}$ ]bumetanide binding to mouse kidney membranes: identification of corresponding membrane proteins <i>M. Haas, P. B. Dunham, and B. Forbush III</i>	C791
Hypercapnic acidosis and increased $\text{H}_2\text{PO}_4^-$ concentration do not decrease force in cat skeletal muscle <i>G. R. Adams, M. J. Fisher, and R. A. Meyer</i>	C805
$\text{Cl}^-$ secretion by cultured shark rectal gland cells. I. Transepithelial transport <i>J. D. Valentich and J. N. Forrest, Jr.</i>	C813
$\text{Cl}^-$ secretion by cultured shark rectal gland cells. II. Effects of forskolin on cellular electrophysiology <i>W. M. Moran and J. D. Valentich</i>	C824
Metabolic and contractile responses of rat fast-twitch muscle to 10-Hz stimulation <i>D. A. Hood and G. Parent</i>	C832
Mitochondrial adaptations in denervated muscle: relationship to muscle performance <i>K. L. Wicks and D. A. Hood</i>	C841
Regulation of the secretory response in bovine chromaffin cells <i>G. Callewaert, R. G. Johnson, and M. Morad</i>	C851
Effects of cGMP on $[\text{Ca}^{2+}]_i$ , myosin light chain phosphorylation, and contraction in human myometrium <i>R. A. Word, M. L. Casey, K. E. Kamm, and J. T. Stull</i>	C861

---

#### SPECIAL COMMUNICATIONS

Imaging of filter-grown epithelial cells: MDCK $\text{Na}^+\text{-H}^+$ exchanger is basolateral <i>S. O. Rosenberg, P. A. Berkowitz, L. Li, and V. L. Schuster</i>	C868
--	------

---

#### RAPID COMMUNICATIONS

CaMKII mediates stimulation of chloride conductance by calcium in T84 cells <i>R. T. Worrell and R. A. Frizzell</i>	C877
--	------

---

#### ANNOUNCEMENTS

	C883
--	------

No. 5. MAY 1991

#### INVITED REVIEW

Cellular mechanisms in proximal tubular reabsorption of inorganic phosphate <i>H. Murer, A. Werner, S. Reshkin, F. Wuarin, and J. Biber</i>	C885
--	------

---

Citrate decreases contraction and Ca current in cardiac muscle independent of its buffering action <i>D. M. Bers, L. V. Hryshko, S. M. Harrison, and D. D. Dawson</i>	C900
--	------

Effect of exogenous and endogenous nitric oxide on mitochondrial respiration of rat hepatocytes <i>J. Stadler, T. R. Billiar, R. D. Curran, D. J. Stuehr, J. B. Ochoa, and R. L. Simmons</i>	C910
Simultaneous measurement of membrane potential, cytosolic $Ca^{2+}$ , and tension in intact smooth muscles <i>H. Ozaki, R. J. Stevens, D. P. Blondfield, N. G. Publicover, and K. M. Sanders</i>	C917
Altered ionic permeability in skeletal muscle from horses with hyperkalemic periodic paralysis <i>J. G. Pickar, S. J. Spier, J. R. Snyder, and R. C. Carlsen</i>	C926
Whole cell current analyses of pancreatic acinar AR42J cells. I. Voltage- and $Ca^{2+}$ -activated currents <i>K. Kusano and H. Gainer</i>	C934
Whole cell current analyses of pancreatic acinar AR42J cells. II. CCK and receptor-activated membrane currents <i>K. Kusano and H. Gainer</i>	C949
Hypokalemia decreases $Na^{+}$ - $K^{+}$ -ATPase $\alpha_2$ - but not $\alpha_1$ -isoform abundance in heart, muscle, and brain <i>K. K. Azuma, C. B. Hensley, D. S. Putnam, and A. A. McDonough</i>	C958
Antibody-detectable changes in fibrinogen adsorption affecting platelet activation on polymer surfaces <i>E. Shiba, J. N. Lindon, L. Kushner, G. R. Matsueda, J. Hawiger, M. Kloczewiak, B. Kudryk, and E. W. Salzman</i>	C965
Characterization of gap junction channels in A7r5 vascular smooth muscle cells <i>L. K. Moore, E. C. Beyer, and J. M. Burt</i>	C975
Intracellular ramification of endothelin signal <i>K. Iijima, L. Lin, A. Nasjletti, and M. S. Goligorsky</i>	C982
Miniglucagon [glucagon-(19-29)] is a component of the positive inotropic effect of glucagon <i>C. Pavoine, V. Brechler, A. Kervran, P. Blache, D. Le-Nguyen, S. Laurent, D. Bataille, and F. Pecker</i>	C993
Histamine-induced chloride channels in apical membrane of isolated rabbit parietal cells <i>G. Saccomani, C. G. Psarras, P. R. Smith, K. L. Kirk, and R. L. Shoemaker</i>	C1000
Relationship between calcium current and cytosolic calcium in canine gastric smooth muscle cells <i>F. Vogalis, N. G. Publicover, J. R. Hume, and K. M. Sanders</i>	C1012
Tyrosine phosphorylation and oxygen consumption induced by G proteins in neutrophils <i>S. Grinstein and W. Furuya</i>	C1019
Humoral factors reduce gap junction sensitivity to cytoplasmic pH I. Organ ablation studies <i>A. P. Moreno, D. C. Spray, and F. Ramón</i>	C1028
Humoral factors reduce gap junction sensitivity to cytoplasmic pH II. In vitro manipulations <i>A. P. Moreno, R. O. Arellano, A. Rivera, and F. Ramón</i>	C1039
TGF- $\beta$ stimulates insulin secretion and blocks mitogenic response of pancreatic $\beta$ -cells to glucose <i>A. Sjöholm and C. Hellerström</i>	C1046
Norepinephrine and iloprost improve barrier function of human endothelial cell monolayers: role of cAMP <i>E. G. Langelier and V. W. M. van Hinsbergh</i>	C1052
Effect of thin filament length on the force-sarcomere length relation of skeletal muscle <i>H. L. M. Granzier, H. A. Akster, and H. E. D. J. ter Keurs</i>	C1060
Effects of vasopressin and cAMP on single amiloride-blockable Na channels <i>Y. Marunaka and D. C. Eaton</i>	C1071
Contractile and cytoskeletal proteins in smooth muscle during hypertrophy and its reversal <i>U. Malmqvist, A. Arner, and B. Uvelius</i>	C1085

Macromolecular conjugates of transport inhibitors: new tools for probing topography of anion transport proteins	
<i>O. Eidelman, P. Yanai, H. C. Englert, H. G. Lang, R. Greger, and Z. I. Cabantchik</i>	C1094
Length vs. active force relationship in single isolated smooth muscle cells	
<i>D. E. Harris and D. M. Warshaw</i>	C1104

---

## SPECIAL COMMUNICATIONS

Which value for the first dissociation constant of carbonic acid should be used in biological work?	
<i>R. W. Putnam and A. Roos</i>	C1113
Oxygen uptake of isolated toad skin epithelium: micromasurement and effect of ionic acclimation	
<i>E. Raddatz, U. Katz, and P. Kucera</i>	C1117

---

## RAPID COMMUNICATIONS

Atriopeptin stimulates chloride secretion in cultured shark rectal gland cells	
<i>K. J. Karnaky, Jr., J. D. Valentich, M. G. Currie, W. F. Oehlenschlaeger, and M. P. Kennedy</i>	C1125

---

<i>Subject Index to Volume 29</i>	C1353
<i>Author Index to Volume 29</i>	C1363

## No. 6. JUNE 1991

### INVITED REVIEW

Oxygen in mammalian tissue: methods of measurement and affinities of various reactions	
<i>J. M. Vanderkooi, M. Erecińska, and I. A. Silver</i>	C1131
Sodium-dependent succinate transport by isolated chick intestinal cells	
<i>G. A. Kimmich, J. Randles, and E. Bennett</i>	C1151
Effect of epidermal growth factor on magnesium homeostasis in BC <sub>3</sub> H1 myocytes	
<i>R. D. Grubbs</i>	C1158
Non-insulin-dependent diabetes-induced defects in cardiac cellular calcium regulation	
<i>S. N. Allo, T. M. Lincoln, G. L. Wilson, F. J. Green, A. M. Watanabe, and S. W. Schaffer</i>	C1165
Apical and basolateral membrane conductances in the TBM cell line	
<i>J.-D. Horisberger</i>	C1172
Extracellular ATP activates coordinated Na <sup>+</sup> , P <sub>i</sub> , and Ca <sup>2+</sup> transport in cardiac myocytes	
<i>M. B. De Young and A. Scarpa</i>	C1182
Phosphocreatine protects ATP from a fructose load in transgenic mouse liver expressing creatine kinase	
<i>M. J. Brosnan, L. Chen, C. E. Wheeler, T. A. Van Dyke, and A. P. Koretsky</i>	C1191
Effects of apical vs. basolateral palytoxin on LLC-PK <sub>1</sub> renal epithelia	
<i>J. M. Mullin, K. V. Snock, and M. T. McGinn</i>	C1201
Na <sup>+</sup> -Ca <sup>2+</sup> exchangers from rod outer segments and cardiac sarcolemma: comparison of properties	
<i>D. A. Nicoll, B. R. Barrios, and K. D. Philipson</i>	C1212
Regulation of epithelial chloride channels by protein phosphatase	
<i>B.-Q. La, S. L. Carosi, J. Valentich, S. Shenolikar, and S. C. Sansom</i>	C1217
Characterization of magnesium-induced contractions in detergent-skinned swine carotid media	
<i>R. S. Moreland and S. Moreland</i>	C1224
Rat sublingual gland as a model to study glandular mucous cell secretion	
<i>D. J. Culp, L. A. Graham, L. R. Latchney, and A. R. Hand</i>	C1233



Expression of Na <sup>+</sup> -coupled sugar transport in HT-29 cells: modulation by glucose <i>A. Blais</i>	C1245
Multiple calcium currents in a thyroid C-cell line: biophysical properties and pharmacology <i>B. A. Biagi and J. J. Enyeart</i>	C1253
Phorbol ester inhibition of chicken intestinal brush-border sodium-proton exchange <i>E. B. Chang, M. W. Musch, D. Drabik-Arvans, and M. C. Rao</i>	C1264
Stimulation of Ca <sup>2+</sup> influx by endothelin-1 is subject to negative feedback by elevated intracellular Ca <sup>2+</sup> <i>L. L. Muldoon, H. Enslen, K. D. Rodland, and B. E. Magun</i>	C1273
Inhibition of Ca <sup>2+</sup> channels via $\alpha_2$ -adrenergic and muscarinic receptors in pheochromocytoma (PC-12) cells <i>M. Gollasch, J. Hescheler, K. Spicher, F.-J. Klinz, G. Schultz, and W. Rosenthal</i>	C1282
cAMP-dependent protein kinase regulates renal epithelial cell properties <i>K. Amsler, S. Ghatani, and B. A. Hemmings</i>	C1290
Inner medullary collecting duct Na <sup>+</sup> -H <sup>+</sup> exchanger <i>K. S. Hering-Smith, E. J. Cragoe, Jr., D. Weiner, and L. L. Hamm</i>	C1300
Toad urinary bladder epithelial cells contain an analogue of cytoskeletal protein 4.1 <i>L. M. Guay-Woodford, O. Platt, and H. W. Harris, Jr.</i>	C1308
Passive chloride permeability charge coupled to H <sup>+</sup> -ATPase of avian osteoclast ruffled membrane <i>H. C. Blair, S. L. Teitelbaum, H.-L. Tan, C. M. Koziol, and P. H. Schlesinger</i>	C1315
Expression of embryonic myosin heavy chain mRNA in stretched adult chicken skeletal muscle <i>D. A. Essig, D. L. Devol, P. J. Bechtel, and T. J. Trannel</i>	C1325
Localization of isoactins in isolated smooth muscle thin filaments by double gold immunolabeling <i>J. S. Drew, C. Moos, and R. A. Murphy</i>	C1332

---

## SPECIAL COMMUNICATIONS

A simple method for evaluation of Rb <sup>+</sup> transport and Na <sup>+</sup> -K <sup>+</sup> pump stoichiometry in adherent cells <i>N. Longo, L. D. Griffin, and L. J. Elsas</i>	C1341
---	-------

---

## RAPID COMMUNICATIONS

IgG from amyotrophic lateral sclerosis affects tubular calcium channels of skeletal muscle <i>O. Delbono, J. Garcia, S. H. Appel, and E. Stefani</i>	C1347
---	-------

---

<i>Subject Index to Volume 29</i>	C1353
<i>Author Index to Volume 29</i>	C1363

## CORRIGENDA

*Volume 260, January 1991*  
*Volume 29, January 1991*

Pages C289-C296: L. C. Rome and A. A. Sosnicki. "Myofilament overlap in swimming carp. II. Sarcomere length changes during swimming." Page C295, left-hand column, paragraph 4, sentences beginning on line 3 should read: Dimery (3) calculated that in galloping rabbits, fibers undergo excursion of 1  $\mu$ m (from 1.7 to 2.7  $\mu$ m), in which there would be no less than 80% maximal tension generated. Cutts (2) using similar techniques concluded that bird muscles operate over ~0.5  $\mu$ m excursion (from 1.7 to 2.2  $\mu$ m). Page C295, right-hand column, paragraph 3, sentence beginning on line 2 should read: In the 20 ms it takes for the backbone to attain its greatest curvature, the red muscle (low  $V_{max}$ ) could only shorten ~0.2  $\mu$ m down to 1.86  $\mu$ m and hence must buckle.